

The following citation list can be found on the **Partners in Information Access for the Public Health Workforce** Website at <http://phpartners.org/hp/>. This link is for the Healthy People 2010 Information Access Project section, where you will find a listing of many Healthy People 2010 focus areas, including vision. When you go to the vision page, you will be able to access National Library of Medicine PubMed searches related to each Healthy Vision 2010 objective. Below are citations for Objective 28-10a and 28-10b. They were retrieved on February 29, 2004, limited to articles from the last 5 years.

Objective 28-10a. Increase the use of rehabilitation services by persons with visual impairments.

Objective 28-10b. Increase the use of visual and adaptive devices by persons with visual impairments.

Arnold RW. Use of a consumer video system to enhance low vision in children and adults. *J Pediatr Ophthalmol Strabismus*. 2002 Jul-Aug;39(4):245-7.

Bach-y-Rita P, Tyler ME. Tongue man-machine interface. *Stud Health Technol Inform*. 2000;70:17-9.

Bailey MJ, Riddoch MJ, Crome P. Treatment of visual neglect in elderly patients with stroke: a single-subject series using either a scanning and cueing strategy or a left-limb activation strategy. *Phys Ther*. 2002 Aug;82(8):782-97.

Ballinger R, Lalle P, Maino J, Stelmack J, Tallman K, Wacker R. Veterans Affairs Multicenter Low Vision Enhancement System (LVES) study: clinical results. Report 1: effects of manual-focus LVES on visual acuity and contrast sensitivity. *Optometry*. 2000 Dec;71(12):764-74.

Bernbaum M, Wittry S, Stich T, Brusca S, Albert SG. Effectiveness of a diabetes education program adapted for people with vision impairment. *Diabetes Care*. 2000 Sep;23(9):1430-2.

Bhavsar AR. Oversight. *Minn Med*. 2003 Jan;86(1):7.

Bilgihan K, Ozdek SC, Gurelik G, Adiguzel U, Onol M, Hasanreisoglu B. Photorefractive keratectomy for visual rehabilitation of anisometropia induced by retinal detachment surgery. *J Refract Surg*. 2000 Jan-Feb;16(1):75-8.

Bitjoka L, Pourcelot L. New blind mobility aid devices based on the ultrasonic Doppler effect. *Int J Rehabil Res*. 1999 Sep;22(3):227-31.

Blanck PD, Sandler LA. ADA Title III and the Internet: technology and civil rights. *Ment Phys Disabil Law Rep*. 2000 Sep-Oct;24(5):855-9.

Blenkhorn P, Evans DG, Baude A. Full-screen magnification for windows using DirectX Overlays. *IEEE Trans Neural Syst Rehabil Eng*. 2002 Dec;10(4):225-31.

Blenkhorn P, Evans G. Automated Braille production from word-processed documents. *IEEE Trans Neural Syst Rehabil Eng*. 2001 Mar;9(1):81-5.

- Bonneau LJ. Compensating for sight loss with a guide dog. *Insight*. 2000 Oct-Dec;25(4):125-7.
- Borg E, Ronnberg J, Neovius L, Kjellander M. Monitoring the environment: sound localization equipment for deaf-blind people. *Acta Otolaryngol*. 1999 Mar;119(2):146-9.
- Boyle JR, Maeder AJ, Boles WW. Image enhancement for electronic visual prostheses. *Australas Phys Eng Sci Med*. 2002 Jul;25(2):81-6.
- Brewster S. Visualization tools for blind people using multiple modalities. *Disabil Rehabil*. 2002 Jul 20-Aug 15;24(11-12):613-21.
- Buckingham RS, Walker AL, Darville JA. Vision readiness at Seymour Johnson Air Force Base. *Mil Med*. 2000 Jul;165(7):512-4.
- Cheong AC, Lovie-Kitchin JE, Bowers AR. Determining magnification for reading with low vision. *Clin Exp Optom*. 2002 Jul;85(4):229-37.
- Choudhury MH, Barreto A. Design of a multi-sensor sonar system for indoor range measurement as a navigational aid for the blind. *Biomed Sci Instrum*. 2003;39:30-5.
- Courtney AJ, Chow HM. A study of the discriminability of shape symbols by the foot. *Ergonomics*. 2001 Feb 20;44(3):328-38.
- D'Angiulli A, Kennedy JM. Guided exploration enhances tactal picture recognition in blindfolded sighted children: implications for blind children. *Int J Rehabil Res*. 2000 Dec;23(4):319-20.
- Dahlin Ivanoff S, Sonn U, Svensson E. A health education program for elderly persons with visual impairments and perceived security in the performance of daily occupations: a randomized study. *Am J Occup Ther*. 2002 May-Jun;56(3):322-30.
- De l'Aune WR, Williams MD, Welsh RL. Outcome assessment of the rehabilitation of the visually impaired. *J Rehabil Res Dev*. 1999 Oct;36(4):273-93.
- Dickinson CM, Fotinakis V. The limitations imposed on reading by low vision aids. *Optom Vis Sci*. 2000 Jul;77(7):364-72.
- Eperjesi F, Fowler CW, Evans BJ. Do tinted lenses or filters improve visual performance in low vision? A review of the literature. *Ophthalmic Physiol Opt*. 2002 Jan;22(1):68-77.
- Eubank TF, Ooi TL. Improving visually guided action and perception through use of prisms. *Optometry*. 2001 Apr;72(4):217-27.
- Evans DG, Diggle T, Kurniawan SH, Blenkhorn P. An investigation into formatting and layout errors produced by blind word-processor users and an evaluation of prototype error prevention and correction techniques. *IEEE Trans Neural Syst Rehabil Eng*. 2003 Sep;11(3):257-68.
- Evans DG, Pettitt S, Blenkhorn P. A modified Perkins Brailler for text entry into windows applications. *IEEE Trans Neural Syst Rehabil Eng*. 2002 Sep;10(3):204-6.
- Freeman PB. If you don't like the way I drive... *Optometry*. 2003 Aug;74(8):481-2.

Friedman DS, Munoz B, Massof RW, Bandeen-Roche K, West SK. Grating visual acuity using the preferential-looking method in elderly nursing home residents. *Invest Ophthalmol Vis Sci.* 2002 Aug;43(8):2572-8.

Fritz JP, Barner KE. Design of a haptic data visualization system for people with visual impairments. *IEEE Trans Rehabil Eng.* 1999 Sep;7(3):372-84.

Goodrich GL, Kirby J. A comparison of patient reading performance and preference: optical devices, handheld CCTV (Innoventions Magni-Cam), or stand-mounted CCTV (Optelec Clearview or TSI Genie). *Optometry.* 2001 Aug;72(8):519-28.

Gresset J, Baumgarten M. Prevalence of visual impairment and utilization of rehabilitation services in the visually impaired elderly population of Quebec. *Optom Vis Sci.* 2002 Jul;79(7):416-23.

Hamilton R, Keenan JP, Catala M, Pascual-Leone A. Alexia for Braille following bilateral occipital stroke in an early blind woman. *Neuroreport.* 2000 Feb 7;11(2):237-40.

Harper R, Culham L, Dickinson C. Head mounted video magnification devices for low vision rehabilitation: a comparison with existing technology. *Br J Ophthalmol.* 1999 Apr;83(4):495-500.

Heine C, Browning CJ. Communication and psychosocial consequences of sensory loss in older adults: overview and rehabilitation directions. *Disabil Rehabil.* 2002 Oct 15;24(15):763-73.

Heine C, Erber NP, Osborn R, Browning CJ. Communication perceptions of older adults with sensory loss and their communication partners: implications for intervention. *Disabil Rehabil.* 2002 May 10;24(7):356-63.

Hinds A, Sinclair A, Park J, Suttie A, Paterson H, Macdonald M. Impact of an interdisciplinary low vision service on the quality of life of low vision patients. *Br J Ophthalmol.* 2003 Nov;87(11):1391-6.

Ingelse J, Steele G. Characteristics of the pediatric/adolescent low-vision population at the Illinois School for the Visually Impaired. *Optometry.* 2001 Dec;72(12):761-6.

Jayamanne DG, Allen ED, Wood CM, Currie S. Correlation between early, measurable improvement in quality of life and speed of visual rehabilitation after phacoemulsification. *J Cataract Refract Surg.* 1999 Aug;25(8):1135-9.

Ji YH, Park HJ, Oh SY. Clinical effect of low vision aids. *Korean J Ophthalmol.* 1999 Jun;13(1):52-6.

Kerkhoff G. Neurovisual rehabilitation: recent developments and future directions. *J Neurol Neurosurg Psychiatry.* 2000 Jun;68(6):691-706.

Kern P, Wolery PhD M. Participation of a preschooler with visual impairments on the playground: effects of musical adaptations and staff development. *J Music Ther.* 2001 Summer;38(2):149-64.

Kuc R. Binaural sonar electronic travel aid provides vibrotactile cues for landmark, reflector motion and surface texture classification. *IEEE Trans Biomed Eng.* 2002 Oct;49(10):1173-80.

Kupfer C. The National Eye Institute's low vision education program: improving quality of life. *Ophthalmology.* 2000 Feb;107(2):229-30.

Kupfer C. The Low Vision Education Program: improving quality of life. *Optom Vis Sci.* 1999 Nov;76(11):729-30.

Kurniawan SH, Sutcliffe AG, Blenkhorn PL, Shin JE. Investigating the usability of a screen reader and mental models of blind users in the Windows environment. *Int J Rehabil Res.* 2003 Jun;26(2):145-7.

Laderman DJ, Szlyk JP, Kelsch R, Seiple W. A curriculum for training patients with peripheral visual field loss to use bioptic amorphic lenses. *J Rehabil Res Dev.* 2000 Sep-Oct;37(5):607-19.

Lancioni GE, Oliva D. Using an orientation system for indoor travel and activity with persons with multiple disabilities. *Disabil Rehabil.* 1999 Mar;21(3):124-7.

Lavinsky J, Tomasetto G, Soares E. Use of a contact lens telescopic system in low vision patients. *Int J Rehabil Res.* 2001 Dec;24(4):337-40.

Lin CL, Bai BR, Du LC, Hu CT, Young ST, Kuo TS. A novel speech controller for radio amateurs with a vision impairment. *IEEE Trans Rehabil Eng.* 2000 Mar;8(1):89-93.

Lowe JB, Rubinstein MP. Distance telescopes: a survey of user success. *Optom Vis Sci.* 2000 May;77(5):260-9.

Ma JJ, Morad Y, Mau E, Brent HP, Barclay R, Levin AV. Contact lenses for the treatment of pediatric cataracts. *Ophthalmology.* 2003 Feb;110(2):299-305.

Mann RW. Low vision and blindness. *J Rehabil Res Dev.* 2001 Jan-Feb;38(1):xvii.

Mann RW. Low vision and blindness. *J Rehabil Res Dev.* 2000 Mar-Apr;37(2):xv-xvi.

McCabe P, Nason F, Demers Turco P, Friedman D, Seddon JM. Evaluating the effectiveness of a vision rehabilitation intervention using an objective and subjective measure of functional performance. *Ophthalmic Epidemiol.* 2000 Dec;7(4):259-70.

Owsley C, McGwin G Jr. Vision impairment and driving. *Surv Ophthalmol.* 1999 May-Jun;43(6):535-50.

Peli E. Treating with spectacle lenses: a novel idea!? *Optom Vis Sci.* 2002 Sep;79(9):569-80.

Peli E. Vision multiplexing: an engineering approach to vision rehabilitation device development. *Optom Vis Sci.* 2001 May;78(5):304-15.

Peterson PA, Quarstein VA. Disability awareness training for disability professionals. *Disabil Rehabil.* 2001 Jan 15;23(1):43-8.

- Peterson RC, Wolffsohn JS, Rubinstein M, Lowe J. Benefits of electronic vision enhancement systems (EVES) for the visually impaired. *Am J Ophthalmol.* 2003 Dec;136(6):1129-35.
- Pramassing F, Puttjer D, Buss R, Jager D. A CMOS clock and data recovery circuit for intraocular microsystems. *Biomed Tech (Berl).* 2002;47 Suppl 1 Pt 1:167-70.
- Puettjer D, Praemassing F, Buss R, Jaeger D. LED-display for an intraocular microoptic system. *Biomed Tech (Berl).* 2002;47 Suppl 1 Pt 1:164-6.
- Ram J, Apple DJ, Peng Q, Visessook N, Auffarth GU, Schoderbek RJ Jr, Ready EL. Update on fixation of rigid and foldable posterior chamber intraocular lenses. Part I: Elimination of fixation-induced decentration to achieve precise optical correction and visual rehabilitation. *Ophthalmology.* 1999 May;106(5):883-90.
- Randleman JB, Ward MA, Stulting RD. Visual rehabilitation after severe alkali injury with piggyback hyper O₂ contact lenses. *Cornea.* 2003 Mar;22(2):181-3.
- Richardson B, Symmons M, Accardi R. The TDS: a new device for comparing active and passive-guided touch. *IEEE Trans Rehabil Eng.* 2000 Sep;8(3):414-7.
- Ronnberg J, Borg E. A review and evaluation of research on the deaf-blind from perceptual, communicative, social and rehabilitative perspectives. *Scand Audiol.* 2001;30(2):67-77.
- Rosenblum YZ, Zak PP, Ostrovsky MA, Smolyaninova IL, Bora EV, Dyadina UV, Trofimova NN, Aliyev AG. Spectral filters in low-vision correction. *Ophthalmic Physiol Opt.* 2000 Jul;20(4):335-41.
- Schellinghorst R, Bongers RM, van Grinsven R, Smitsman AW, Van Galen GP. Improving obstacle detection by redesign of walking canes for blind persons. *Ergonomics.* 2001 Apr 15;44(5):513-26.
- Scott IU, Smiddy WE, Schiffman J, Feuer WJ, Pappas CJ. Quality of life of low-vision patients and the impact of low-vision services. *Am J Ophthalmol.* 1999 Jul;128(1):54-62.
- Seidman K, Strand C. Vision rehabilitation. A missing link in client care. *Care Manag J.* 2000 Fall;2(3):169-77.
- Singer HW. Success with low vision patients: realistic prognosis, reasonable goals. *J Ophthalmic Nurs Technol.* 1999 Mar-Apr;18(2):65-7.
- Sokol-McKay D, Buskirk K, Whittaker P. Adaptive low-vision and blindness techniques for blood glucose monitoring. *Diabetes Educ.* 2003 Jul-Aug;29(4):614-8, 620, 622 passim. Erratum in: *Diabetes Educ.* 2003 Sep-Oct;29(5):858.
- Spitzberg L. New public education program in low vision. *J Am Optom Assoc.* 1999 Nov;70(11):687-8.
- Stelmack J. Quality of life of low-vision patients and outcomes of low-vision rehabilitation. *Optom Vis Sci.* 2001 May;78(5):335-42.

Stelmack JA, Stelmack TR, Massof RW. Measuring low-vision rehabilitation outcomes with the NEI VFQ-25. *Invest Ophthalmol Vis Sci.* 2002 Sep;43(9):2859-68.

Stork W, Eix I. Micro displays as intraocular vision aid—design of an optical system. *Biomed Tech (Berl).* 2002;47 Suppl 1 Pt 1:161-3.

Szlyk JP, Seiple W, Laderman DJ, Kelsch R, Stelmack J, McMahon T. Measuring the effectiveness of bioptic telescopes for persons with central vision loss. *J Rehabil Res Dev.* 2000 Jan-Feb;37(1):101-8.

Trauzettel-Klosinski S, Hahn GA. Support for patients loosing sight. *Dev Ophthalmol.* 2003;37:199-214.

Uslan MM, Egthesadi K, Burton D. Accessibility of blood glucose monitoring systems for blind and visually impaired people. *Diabetes Technol Ther.* 2003;5(3):439-48.

Ward MA. Visual rehabilitation with contact lenses after laser in situ keratomileusis. *J Refract Surg.* 2001 Jul-Aug;17(4):433-40.

West SK, Friedman D, Munoz B, Roche KB, Park W, Deremeik J, Massof R, Frick KD, Broman A, McGill W, Gilbert D, German P. A randomized trial of visual impairment interventions for nursing home residents: study design, baseline characteristics and visual loss. *Ophthalmic Epidemiol.* 2003 Jul;10(3):193-209.

Whittington AE. The visually impaired specialty diabetes educator: seeing is believing. *Diabetes Educ.* 2002 Jul-Aug;28(4):527-8.

Williams AS. Accessible diabetes education materials in low-vision format. *Diabetes Educ.* 1999 Sep-Oct;25(5):695-8, 700, 702 passim.

Williams RT. Are you Y2K-ready for low vision assistive technology? *Optometry.* 2000 Feb;71(2):123-7. Erratum in: *Optometry.* 2000 Apr;71(4):270.

Wingfield BR, Gorman RF. Treatment of severe glaucomatous visual field deficit by chiropractic spinal manipulative therapy: a prospective case study and discussion. *J Manipulative Physiol Ther.* 2000 Jul-Aug;23(6):428-34.

Wolffsohn JS, Cochrane AL. Design of the low vision quality-of-life questionnaire (LVQOL) and measuring the outcome of low-vision rehabilitation. *Am J Ophthalmol.* 2000 Dec;130(6):793-802.

Young MA, Levi S, Tumanon RC, Desei M, Sokal JO. Independence for people with disabilities. A physician's primer on assistive technology. *Md Med.* 2000 Summer;1(3):28-32.

[No authors listed] I can see clearly now...sort of. Will eye exercises eliminate your need for corrective lenses? No, and here's why. *Harv Womens Health Watch.* 2003 Jul;10(11):4-6.

[No authors listed]
You can succeed in low vision. *Optometry.* 2001 Apr;72(4):264-5.

[No authors listed] A unique approach to low vision. *Optometry*. 2001 Feb;72(2):128-30.

[No authors listed] Eyesight. Living with low vision. *Harv Health Lett*. 1999 Nov;25(1):4.